


STARTRITE

1, 2 & 5 SPEED VERTICAL BANDSAWING MACHINES



PRICE LIST No. 19/84

EFFECTIVE 1st MARCH 1984

STARTRITE® 1, 2, & 5 SPEED

RANGE SPECIFICATION		LIGHT DUTY			
		Single speed of 3500 ft/min		Five speeds of 840-4800 ft/min	
		Table size 19" x 19" Table tilt 45° R 15° L		Table size 19" x 19" Table tilt 45° R 15° L	
MODEL NO.		18S1	24S1	18S5	24S5
Throat depth x height under guides (ins)		18 x 8	24 x 8	18 x 8	24 x 8
Maximum blade width (ins)		1/2	1/2	1/2	1/2
‡ Complete with electrics for operation on 415V 3PH 50Hz.	PRICE	£1006	1115	1090	1199
‡ Complete with electrics for operation on 240V 1PH 50Hz.	PRICE	1036	1145	1163	1272
OPTIONAL EQUIPMENT					
Slow speed motor giving speeds of 560 - 3200 ft/min. (3 PH ONLY)				70.20	70.20
Slow speed motor giving speeds of 470 - 2700 ft/min. (3 PH ONLY)					
SP198	Mitre gauge	40.80	40.80	40.80	40.80
	Rip fence	25.00	25.00	25.00	25.00
SP260	Circle cutting attachment	19.00	19.00	19.00	19.00
	Low volt light (24V) Factory Fitted	52.00	52.00	52.00	52.00
	240V lighting Factory Fitted				
	Fused isolator Factory Fitted	29.00	29.00	29.00	29.00
	Isolator, lock with 2 keys Factory Fitted	33.55	33.55	33.55	33.55
SP298	Band polishing attachment	19.00	19.00	19.00	19.00
	Polishing bands 1" wide	3.00	3.00	3.00	3.00
SP569	Larger (21" x 21") table — extra	43.50	43.50	43.50	43.50
	Trailing foot switch	55.50	55.50	55.50	55.50
	Key operated switch	28.00	28.00	28.00	28.00
	Universal roller guides in lieu	80.60	80.60	80.60	80.60
	Woodcutting blade guides in lieu	61.00	61.00	61.00	61.00
1102	Spare bandwheel 12" diameter	14.50	14.50	14.50	14.50
2473	Spare bandwheel 14" diameter				
BSO.16 Butt welder & grinder — 5/8" blades		454.00	454.00	454.00	454.00
BSO. 25 Butt welder & grinder — 1" blades		492.00	492.00	492.00	492.00
B15 Brazing unit for 5/8" blades		211.00	211.00	211.00	211.00
Filing bow for dressing blade joint		19.60	19.60	19.60	19.60
‡ Other voltages — Prices upon application					
DUST EXTRACTION EQUIPMENT					
‡ 'CYCLAIR 55' Dust Extractor	415V 3PH 50Hz	333.00	333.00	333.00	333.00
	240V 1PH 50Hz	333.00	333.00	333.00	333.00
‡ 'CYCLAIR 75' Dust Extractor	415V 3PH 50Hz	412.00	412.00	412.00	412.00
	240V 1PH 50Hz	431.00	431.00	431.00	431.00
SM1040 Collection chute (lower)					
SM1135 Coupling kit (upper & lower)		79.20	79.20	79.20	79.20
SM1146 Coupling kit (lower)		14.75	14.75	14.75	14.75


VERTICAL BANDSAWING MACHINES

352 E664-a


MEDIUM DUTY					
Single speed of 4100 ft/min		Five speeds of 980-5600 ft/min		Two speeds of 1800 & 4000 ft/min	
Table size 19" x 19" Table tilt 45° R 15° L		Table size 19" x 19" Table tilt 45° R 15° L		Table size 17½" x 17½" Table tilt 45° R	
14S1	20S1	14S5	20S5	352	
13½ x 10	20 x 10	13½ x 10	20 x 10	13½ x 11¼	
⅝	⅝	⅝	⅝	¾	
910	1137	997	1224	599	
940	1167	1070	1297	615	

OPTIONAL EQUIPMENT					
		70.20	70.20		
40.80	40.80	40.80	40.80	Std.	
25.00	25.00	25.00	25.00	Std.	
19.00	19.00	19.00	19.00	Std.	
52.00	52.00	52.00	52.00	89.00	
				24.40	
29.00	29.00	29.00	29.00	29.00	
33.55	33.55	33.55	33.55	33.55	
19.00	19.00	19.00	19.00		
3.00	3.00	3.00	3.00		
43.50	43.50	43.50	43.50		
55.50	55.50	55.50	55.50	55.50	
28.00	28.00	28.00	28.00	28.00	
80.60	80.60	80.60	80.60		
61.00	61.00	61.00	61.00		
22.00	22.00	22.00	22.00	22.00	
454.00	454.00	454.00	454.00		
492.00	492.00	492.00	492.00	492.00	
211.00	211.00	211.00	211.00	211.00	
19.60	19.60	19.60	19.60	19.60	

DUST EXTRACTION EQUIPMENT					
333.00	333.00	333.00	333.00	333.00	
333.00	333.00	333.00	333.00	333.00	
412.00	412.00	412.00	412.00	412.00	
431.00	431.00	431.00	431.00	431.00	
				25.30	
79.20	79.20	79.20	79.20		
14.75	14.75	14.75	14.75		



'CYCLAIR 55'
Dust Extractor
Inlet diameter: 4¼"
Suction rate: 565 ft³/min
Collection capacity: 5 ft³




'CYCLAIR 75'
Dust Extractor
Inlet diameter: 6¼"
Suction rate: 1045 ft³/min
Collection capacity: 9 ft³

BANDSAW BLADES FOR USE WITH 1,2 & 5 SPEED BANDSAWS


Blade width	MACHINE THROAT SIZE								MODEL No.	
	14"		18"		20"		24"		352	
Blade type:	W	M	W	M	W	M	W	M	W	M
1/8"	4.16	3.64	4.16	3.64	4.16	3.88	4.16	3.88	4.16	3.64
3/16"	4.16	3.32	4.16	3.32	4.16	3.54	4.16	3.54	4.16	3.32
1/4"	3.30	2.94	3.30	2.94	3.30	3.13	3.30	3.13	3.30	2.94
3/8"	3.30	3.01	3.30	3.01	3.30	3.21	3.30	3.21	3.30	3.01
1/2"	3.38	3.15	3.38	3.15	3.38	3.36	3.15	3.36	3.36	3.15
5/8"	3.72	4.05			3.72	4.32			3.72	4.05
3/4"									4.00	4.48

W = Woodcutting blades M = Metal & Plastic cutting blades.

For other types of blades see Supaflex Bandtool Price List



Model 316H



Model H250A

STARTRITE® BRITAIN'S BIGGEST SUPPLIERS OF BANDSAWS

The Startrite range also includes filing arbor sawbenches and panel saws, Bandit bench model vertical bandsaws, a wide range of metal cutting vertical bandsaws and horizontal band cut-off machines from 7" to 26" diameter capacity for manual, semi-automatic and fully automatic operation. Ask for separate details.

NOTE: Prices are ex-works and do not include V.A.T. which will be charged extra.
All orders are accepted subject to our standard conditions of sale.

600®